

Technical Product Information
www.usglobalpetroleum.com
www.everestoil.com
773-376-9660

**Premium
Performance**

**API
CK-4**

CK-4 Full Synthetic HD 10W-30

Everest CK-4 Full Synthetic Heavy Duty SAE 10W-30 Diesel Engine Oil is a high-performance engine oil designed to meet 2017 and newer on-highway and Tier 4 exhaust emission standards. It provides enhanced protection against wear, oxidation, shear viscosity loss, low and high temperature degradation, soot related thickening as well as protection against particulate filter blocking and catalyst poisoning. It outperforms conventional motor oil and is recommended for naturally aspirated, turbocharged or supercharged diesel, gasoline, or propane truck, sport utility vehicle, passenger car and other mobile or stationary engines.

Everest CK-4 Full Synthetic Heavy Duty SAE 10W-30 Diesel Engine Oil meets or exceeds CK-4/SN service classifications and is compatible with all prior categories. It has been field tested to be comparable to most American, Asian, and European manufacturers' standards including ACEA E7-16, ACEA E9-16, Ford WSS-M2C171-E, WSS-M2C171-F1, Renault RLD-4, Detroit Diesel DFS 93K218, Allison C-4, Caterpillar ECF-3, MACK EO-O Premium Plus, and many other OEM's specifications where a full synthetic SAE 10W-30 CK-4 engine oil is recommended. Always check your owner's manual for proper service recommendations.

Benefits and Applications

- For diesel and gasoline engines, promotes long engine life
- Exceeds CK-4 / SN service classifications

Typical Characteristic 10W-30 HD Full Syn Engine Oil

SAE GRADE	Heavy Duty	10W-30
API SERVICE		CK-4 / SN
API Gravity	ASTM D287	31.42
Flash Point, COC °C/°F	ASTM D92	235 / 455
Pour Point, °C/°F	ASTM D97	-39 / -38.2
Viscosity @ 40°C, cSt	ASTM D445	82.18
Viscosity @ 100°C, cSt	ASTM D445	11.98
Viscosity Index	ASTM D2270	140
CCS, mPa-sec °C max	ASTM D5293	6316 @ -25
Total Base No. TBN	ASTM D2896	9.0

Test Method ASTM - Typical test data are average values only. Minor variations, which do not affect performance, may occur.

CK-4 / SN

ACEA E7-16, E9-16
 Ford WSS-M2C171-E,
 WSS-M2C171-F1, Renault
 RLD-4, Detroit Diesel DFS
 93K218, Caterpillar ECF-3,
 Allison C-4, MACK EO-O
 Premium Plus



V20531

HANDLING AND SAFETY INFORMATION - Refer to EVEREST (SDS) Safety Data Sheets for proper handling and safety information. Use the same care and handling as for any petroleum product. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data or products can be used without infringing patents of third parties.